

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4886110	((@rlad<"20031124" or @ad<"20031124"))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:50
L2	56350	L1 and @pd>"20080709"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:50
L3	3588	L2 and ("709"/\$.ccls. or "711"/\$.ccls.)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:50
L4	61	L3 and ((provision\$6 or allocat\$6) near6 (policy))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:50
L5	39	L4 and (model)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:50
L6	36	L5 and ((model\$4 or duplicat \$\$ or ideal or templat\$4) same (server or node or system or resource))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:50
L7	6	I3 and (LUN near10 (polic\$4 or profil\$4 or templat\$4))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:51
L8	0	I3 and ((data near3 model) near5 LUN)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:54
L9	0	I3 and ((data near3 model) same LUN)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:54
L10	220	I3 and ((data near3 model))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:55
L11	4	I10 and (LUN near6 policy)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:55
L12	50	I3 and ((storage near3 model))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:57

L13	2	l12 and (LUN near6 policy)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:57
L14	50	l12 and (model\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:58
L15	18	l14 and duplic\$7	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 04:58
L16	2	"20020174306".did. "7415506".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 06:59
L17	1	l16 and alert\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 06:59
L18	3	"20020174306".did. "7415506".pn. "7480912". pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 07:31
L19	0	l18 and (model near3 group)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 07:31
L20	1	l18 and (model near6 group)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 07:31
L21	3	l18 and (group\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 07:32
L22	4	"20020174306".did. "7415506".pn. "7480912". pn. "20040123063".did.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 07:42
L23	2	l22 and (filesystem or "file system")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 07:42
L24	1	l22 and (volume near3 group)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 08:02
L25	1	l22 and (alert)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 08:12

L26	1	"20050114438".did.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/30 08:46
S1	2	"20050114438".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:09
S2	83	"6,195,622" "6,353,846" "6,381,579" 2002/0133591 2002/0156865 2002/0169876 2002/0174306 2002/0184535 2002/0156904 2003/0018656 2003/0078934 2003/0093672	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/03 17:13
S3	12	"6195622".pn. "6353846". pn. "6381579".pn. "20020133591".did. "20020156865".did. "20020169876".did. "20020174306".did. "20020184535".did. "20020156904".did. "20030018656".did. "20030078934".did. "20030093672".did.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/13 14:42
S4	3	"6615225".pn. "7062541". pn. "20040098363".did.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/13 14:44
S5	4701908	(@rlad<"20031124" or @ad<"20031124")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/13 14:46
S6	7558	709/203.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/13 14:46
S7	2630	711/170.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/13 14:46
S8	2585	711/114.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/13 14:46
S9	10758	S5 and (S6 or S7 or S8)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/13 14:47

S10	38864	((volume adj group) or (filesystem or (file adj system)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/13 14:49
S11	2017	S9 and S10	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/13 14:49
S12	347	S11 and ((raw or physical) adj disk\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/13 14:50
S13	56	S12 and (storage adj server)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/05/13 14:50
S15	5	(US-20040199719-\$ or US-20040123063-\$ or US-20040123030-\$ or US-20040123029-\$).did. or (US-6681310-\$).did.	US-PGPUB; USPAT	OR	ON	2007/05/13 15:55
S16	0	S15 and provision\$4	US-PGPUB; USPAT	OR	ON	2007/05/13 15:55
S17	4	"20020174306".did. or "20030018656".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 15:59
S18	2	(US-20030018656-\$ or US-20020174306-\$).did.	US-PGPUB	OR	ON	2007/05/13 15:59
S19	0	S18 and (volume adj group)	US-PGPUB	OR	ON	2007/05/13 16:00
S20	0	S18 and (filesystem or "file system")	US-PGPUB	OR	ON	2007/05/13 16:54
S21	1	"20050114438".did.	US-PGPUB	OR	ON	2007/05/13 16:55
S22	4	"20020174306".pn. "20040123063".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/14 17:02
S23	4845211	(@rlad<"20031124" or @ad<"20031124")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/09/12 13:52
S24	9270	709/203.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/09/12 13:52
S25	3231	711/170.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/09/12 13:52

S26	3186	711/114.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/09/12 13:52
S27	12037	S23 and (S24 or S25 or S26)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/09/12 13:52
S28	149	S27 and @pd> "20080709"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/09/12 13:52
S29	15450	S23 and @pd> "20080709"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/09/12 13:52
S30	149	S29 and (S24 or S25 or S26)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/09/12 13:53
S31	8	S30 and ("logical unit")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/09/12 13:53
S32	3	S31 and model	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/09/12 13:56
S33	2	"20020174306".did. "20020156987".did.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/09/12 14:11
S34	7	"20020174306".did. "7415506".pn. "20040123063".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 20:41
S35	4883002	(@rlad< "20031124" or @ad< "20031124")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/12 20:45
S36	10089	709/203.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/12 20:45
S37	3464	711/170.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/12 20:45
S38	3396	711/114.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/12 20:45

S39	53242	S35 and @pd> "20080709"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/12 20:45
S40	573	S39 and (S36 or S37 or S38)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/12 20:45
S41	25	S40 and ("logical unit")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/12 20:45
S42	0	S41 and ((model adj3 storag \$4) near3 policy)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/12 20:47
S43	0	S41 and ((model adj3 storag \$4) near3 policy)	US-PGPUB	OR	ON	2009/03/12 20:47
S44	2	S41 and (711/170.ccls. or 711/148.ccls. or 709/215. ccls. or 709/226.ccls.)	US-PGPUB	OR	ON	2009/03/12 20:48
S45	0	S41 and ((model adj3 storag \$4) near3 policy).clm.	US-PGPUB	OR	ON	2009/03/12 21:03
S46	4883002	(@rlad< "20031124" or @ad< "20031124")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 04:56
S47	10089	709/203.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 04:56
S48	3464	711/170.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 04:56
S49	3396	711/114.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 04:56
S50	53242	S46 and @pd> "20080709"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 04:56
S51	573	S50 and (S47 or S48 or S49)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 04:56
S52	0	S51 and (("Logical Unit number" or "LUN") near9 (model\$6))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 04:56

S53	21	S51 and (("Logical Unit number" or "LUN"))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 04:58
S54	9	S51 and (storage adj3 pool \$4)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 04:59
S55	25	S51 and (policy near9 (module\$2 or server\$2 or node\$2))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 05:01
S56	1	S55 and (alert)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 05:02
S57	2	S55 and (alert\$2 or alarm \$2)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 05:02
S58	0	S55 and ((model adj3 storag \$4) near3 policy).clm.	US-PGPUB	OR	ON	2009/03/16 05:03
S59	54910	((volume adj group) or (filesystem or (file adj system)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 08:34
S60	54910	S59	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 08:34
S61	4883002	((@rlad< "20031124" or @ad< "20031124"))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 08:35
S62	10089	709/203.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 08:35
S63	3464	711/170.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 08:35
S64	3396	711/114.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 08:35
S65	53242	S61 and @pd> "20080709"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 08:35

S66	573	S65 and (S62 or S63 or S64)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 08:35
S67	5	S66 and ((provision\$6 or allocat\$6) near6 (policy))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 08:44
S68	3380	S65 and ("709"/\$.ccls. or "711"/\$.ccls.)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 08:45
S69	59	S68 and ((provision\$6 or allocat\$6) near6 (policy))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 08:46
S70	8	S69 and (monitor\$6 same (polic\$5 or profil\$5 or templat\$4) same (provision \$5 or allocat\$4 or assign\$5))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 08:47
S71	38	S69 and (model)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 09:02
S72	4	S71 and (monitor\$6 same (polic\$5 or profil\$5 or templat\$4) same (provision \$5 or allocat\$4 or assign\$5))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 09:02
S73	35	S71 and ((model\$4 or duplicat\$\$ or ideal or templat \$4) same (server or node or system or resource))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/03/16 09:54

3/ 30/ 2009 8:52:35 AM

C:\ Documents and Settings\ asikri\ My Documents\ EAST\ Workspaces\ 10720567\ rce\ search 2.wsp